


China Electro-Magnetic Chuc Manufacturer, Supplier, Factory, Exporter in china

[Electro-Magnetic Chuc](#)





(mm)

Type	B	L	H	P=P1+P2
UNI 10?" ϕ	104	180~300	43~60	2~6
UNI 12?" ϕ " ϕ	120	200~400	43~60	2~6
UNI 15?" ϕ " ϕ	150	300~500	43~60	2~6
UNI20?" ϕ " ϕ	200	300~600	43~60	2~6
UNI 25 ?" ϕ " ϕ	250	400~700	45~65	2~6
UNI 30 ?" ϕ " ϕ	300	400~700	45~65	2~6

?????

Suction : 8kgf/cm² , 10kgf/ cm² , 12kgf/ cm² (Specific made as order)

The permanent-magnetic chuck is applied to holding workpiece of magnetic material to begroud on surface grinding machine and universal tool grinder electrical process machine ect. And can also be used as line-drawing tools of benchwork for scraping and grinding . The permanent-magnetic chuck doesn't need power supply and will not cause any unexpected accident because of fallure of power supply , therefore , it is being widely used.



[Hard Ferrite Magnet](#), [Neodymium Magnet](#), [Neodymium Magnet](#), [Cast Alnico Magnet](#), [Smco Magnet](#), [Plastic Femite Magnet](#), [Magnetic Assembly](#), [Permanent Magnets](#), [Sintered NdFeB Magnets](#), [Sintered AlNiCo](#), [Sintered Ferrite](#), [NdFeB Magnet](#), [Fecrco Magnet](#), [Magnetic Materials](#), [Electro-Magnetic Chuck](#), [Magnetic Toy](#), [Magnetic Magnet Lifter](#), [Magnetic Olive](#), [Rubber Magnet](#), [electromagnetic](#), [Sintered SmCo](#),

Zhejiang Kaiven Magnet Company, Ltd(Dongyang Magnet Factory)

Add: Cailu Industrial Zone, Dongyang City, Zhejiang Province, China.

TeL: +86-579-6720228

Fax: +86-579-6720900

Contac Person: Mrs.lu

E-Mail: sales@chinamagnets.com

WebSite: [http://www.chinamagnets.com /](http://www.chinamagnets.com/)