


China Magnetic,mangets Manufacturer, Supplier, Factory, Exporter in china

[Magnetic,mangets](#)



| Model | Specifications | ø? | L | ø?1 | L1 | Max operation temperature(??) |
|-------|----------------|----|-----|-----|-----|-------------------------------|
| UNIPM | 22X250 | 22 | 250 | 52 | 330 | <80 |
| UNIPM | 22X270 | 22 | 270 | 52 | 340 | <80 |
| UNIPM | 22X350 | 22 | 350 | 52 | 430 | <80 |

| | | | | | | |
|-------|--------|----|-----|----|-----|-----|
| UNIPM | 22X450 | 22 | 450 | 52 | 530 | <80 |
| UNIPM | 25X350 | 25 | 350 | 55 | 430 | <80 |
| UNIPM | 25X400 | 25 | 400 | 55 | 480 | <80 |
| UNIPM | 25X500 | 25 | 500 | 55 | 580 | <80 |
| UNIPM | 32X250 | 32 | 250 | 62 | 330 | <80 |
| UNIPM | 32X350 | 32 | 350 | 62 | 430 | <80 |
| UNIPM | 32X400 | 32 | 400 | 62 | 480 | <80 |
| UNIPM | 32X500 | 32 | 500 | 62 | 580 | <80 |

Component Part:Stainless steel body non-responsive to magnets plus high quality and high performance materials.

Features:This attractor has strong permanent magnet power,can attract irons/steel pieces or iron/steel substances onto its lower end or around itself.This attractor can allure iron/steel pieces or iron substances in liquids,in powder or among grains and/or granules,such as attracting iron substances from electroplating bath, separating iron dusts,iron chips,and iron filings from lathes,attracting small iron needles and pieces fallen on the ground or separating iron/steel things from other materials.

Application:Put the attractor into the area or container or bath where there are iron/steel pieces or substances,and they will gather to the lower end or round itself.Then put the attractor into the recovery tray,and pull the handle up,and some of the iron and/or steel substances will fall into the tray,the rest might be retained by the blocking piece,but they will fall into the recovery tray.Position of the blocking piece may be adjusted as need be,reset the attractor after all iron pieces and/or iron substances have fallen into the recovery tray.Reset this attractor and you can apply it again and again and the magnetic power will never weaken.

[Hard Ferrite Magnet](#), [Neodymium Magnet](#), [Neodymium Magnet](#), [Cast Alnico Magnet](#), [Smco Magnet](#), [Plastic Ferrite Magnet](#), [Magnetic Assembly](#), [Permanent Magnets](#), [Sintered NdFeB Magnets](#), [Sintered AlNiCo](#), [Sintered Ferrite](#), [NdFeB Magnet](#), [Fecro Magnet](#), [Magnetic Materials](#), [Electro-Magnetic Chuck](#), [Magnetic Toy](#), [Magnetic Magnet Lifter](#), [Magnetic Olive](#), [Rubber Magnet](#), [electromagnetic](#), [Sintered SmCo](#),

Zhejiang Kaiven Magnet Company, Ltd(Dongyang Magnet Factory)

Add: Cailu Industrial Zone, Dongyang City, Zhejiang Province, China.

TeL: +86-579-6720228

Fax: +86-579-6720900

Contac Person: Mrs.lu

E-Mail: sales@chinamagnets.com

WebSite: [http://www.chinamagnets.com /](http://www.chinamagnets.com/)